

PROBABALY OBOYA IS THE ONLY MANUFACTURING COMPANY IN THE WORLD PRODUCES AND DISTRIBUTES SUCH A WIDE RANGE SPECIALIZED PRODCUTS GLOBALLY

园艺配套生产商

可能是全球范围内唯一一家 生产及销售如此广泛的 专业产品制造公司

GROUP INFORMATION:

Add: No. 270, Yueyahe Road, Huangdao District, Qingdao, Shandong Website: www.oboya.cc Fax: 0532-88138586

公司地址:山东省青岛市黄岛区月牙河路270号 公司电话:0532-88138559



ABOUT

关于我们

















欧勃亚园艺实业有限公司是一家国 际化的制造集团企业。集鲜花、果蔬种植、 食品包装行业的综合供应商,为全球八十 多个国家的客户提供种植资材配套、食品 包装材料和物流周转及展示产品。

公司创建于 2006 年,在中国拥有全 资的研发制造和销售公司。在肯尼亚、波 兰、瑞典、挪威、厄瓜多尔等国家成立公 司,在哥伦比亚、巴西、秘鲁、智利、墨 西哥有销售办事处。

Oboya Horticulture Industries is a multinational manufacturing company. Oboya provides One-Stop Shopping supplies for Flowers, Vegetables Growers, Packaging Companies, Importers, Exporters and Wholesalers in more than 80 countries around the world by supplying daily packaging materials, substrates, buckets, pots,trays, trolleys and displays.

Founded in 2006, Oboya has manufacturing facilities as well as sales orgnizations in China. In overseas market, we have our own companies in Kenya, Poland, Sweden, Norway, Ecuador ect. And in Colombia, Brazil, Peru, Chile, Mexico. we have sales orgnizations.













SOLAR ENERGY

没有什么东西比能<mark>源更珍贵了。我们非常清楚这一点,所以我们觉得有必要做一些事情来使我们的业务在环境方面可持续发展。</mark>

2021年10月,我们启动了青岛工厂的太阳 能光伏发电的项目,并于2022年1月完成了第 一阶段的安装。 该太阳能光伏发电项目约3000 M²在欧勃亚厂房楼顶铺设,建成后的太阳能光伏站装机容量265千瓦,每年可发电36万千瓦时以上.除了它产生的能量之外,它不会产生任何排放物,将热量转化为能量不会排放任何二氧化碳或其他有害元素。

我们可以实时看到二氧化碳排放量的减少, 根据我们的计算,每天大约减少1000公斤的排 放。

太阳能光伏发电项目

POWER PROJECT

Few things are becoming more precious than energy sources. Oboya is very much aware of that. That's why the company felt the need to do something that would make the business future-proof and environmentally sustainable.

In October 2021, we started the project to solar power our factory in Qingdao, China and completed the first phase of the installation on January 2022.

The solar photovoltaic power generation project is about 3000 M², which is laid on the roof of Oboya factory building., has a capacity of 265 kilowatts, and each year, it will generate electricity, at least 360,000KW, And on top of the energy that it is generating, it doesn't produce any emission: the conversion of heat into energy does not emit any carbon dioxide, or other harmful elements.

we can see the reduction of CO2 emission in real-time and based on our calculation, it is round 1000kg per day.





RTIFIC

ATION 以间

质量管理体系ISO9001:使产品的全部质量工作有可知性、可见性和可查

Quality management system ISO9001: Make all quality work of products knowable, visible and traceable.



CERTIFICATE OF REGISTRATION Qingdao Oboya Salome Packaging Co., Ltd.

FSC森林认证:保证从树木的开采到最终的包装的追溯性。

FSC forest certification: ensure the traceability from the exploitation of trees to the final packaging.

SEDEX 是供货商商业道德信息交流的缩写形式(Supplier Ethical Data Exchange)。Sedex 是一套网络数据库,用于帮助各公司储存其业务范围内 的劳动准则信息,而且他们的客户也可以共享这些信息。

SEDEX certification: SEDEX is Supplier Ethical Data Exchange, which aims to facilitate the storage of labor standards information within companies' business scope and enable their customers to share this information.





OK Recycled 认证体系特别规定了在可追溯性协调系统的基础上计算塑料产 品回收含量的要求。目标是支持塑料材料的环保使用,为公司的可持续发展承 诺提供可信度。

The OK Recycled certification system specifies, in particular, the requirements for calculating the recycled content of plastic products on the basis of a harmonized system of traceability. The goal is to support the environmentally friendly use of plastic materials and lend credibility to the company's commitment to sustainability.



GRS认证:GRS即GLOBAL RECYCLED STANDARD,是全球回收标准 的简称。以提高产品的透明度,满足客户及消费者的知情权,便于 消费者选择。

GRS certification: GRS is global recycled standard, which is the abbreviation of global recycling standard. In order to improve the transparency of products, satisfy customers' and consumers' right to know and facilitate consumers' choice.





BRC证书:BRC食品安全全球标准作为全球领先标准已被123个国家 超过22000个供应商采用作为衡量产品质量、安全和操作标准的依 据,并确保制造商履行法律义务和给消费者提供应有的保护。


BRC certification: BRC global food safety standard, as a global leading standard, has been adopted by more than 22,000 suppliers in 123 countries as the basis for measuring product quality, safety and operating standards, and ensuring manufacturers to fulfill their legal obligations and provide consumers with due protection.

碳足迹证书:更好的了解公司运营过程中的碳足迹,并减缓气候 变化

Carbon footprint certification: better understand the carbon footprint of the company during its operation and mitigate climate change.















基质 Substrates

33-42



塑料产品 **塑料产品** Injection & Thermal Formed

43-50



鲜<mark>花包装</mark> Flower Packaging

51-54



牛皮纸包装 Kraft Paper Bag

HORTICULTURE

55-58



片材包装 Wrapping Sheet



配套方案 Supporting Solutions

59-64



果蔬包装 Fruit and Vegetable Bag

67-68



手提袋 Paper Hand Bag

69-72



纸浆 & 竹浆 Paper Pulp/Bamboo Pulp

73-82




展示周转车 Transportation Cart

83-88



其他配件 Other Accessories













育苗钵

Seedling Substrate

Ground Cover 防草膜





Drip Irrigation System 滴灌系统

Blueberry Plantation Bucket

Specialized Blueberry Substrate&Grow Bag

Fertilizer

Heat-insulating Bag 隔热袋



Blueberry Clamshell 蓝莓盒 FlowPack 包装膜

Label

Transportation Display Cartons 周转展示箱



Harvest Crate 采摘框 Harvest Trolley

HARVESTING





从育苗到包装,我们提供一站式的解决方案。 We offer full range of solutions for blueberry, from seedling to packaging.





Specialized Strawberry Substrate 草莓基质

Seedling Tray

Strawberry Clamshell/Punnets 吸塑盒子

FlowPack 包装膜

Transportation Display Cartons 周转展示箱





Drip Irrigation System

Grow Bag 生长条

PLANTATION





从育苗到包装,我们提供一站式的解决方案。 We offer full range of solutions for strawberry, from seedling to packaging.



Protecting Bag 香蕉保护袋

Drip Irrigation System 滴灌系统

01种植 PLANTATION

02_{采摘}

03包装 PACKAGING

04展示

Display Rack 展示架

FULL RANGE OF SOLUTIONS FOR BANANA

香蕉产品配套方案



Packaging tray 包装托盘

APV System 采摘小车

Flowpack 包装膜

Packaging Carton 包装纸箱



FULL RANGE OF SOLUTIONS FOR AVOCADO 牛油果产品配套方案



Drip Irrigation System 滴灌系统



APV System 采摘小车

Harvest Crate 采摘框



tem 02采摘 rate HARVESTING



03包装 PACKAGING

Packaging tray 包装托盘




Flowpack

Packaging Carton 包装纸箱



从种植到展示,我们提供一站式的解决方案。 We offer full range of solutions for banana, from plantation to display. 从种植到包装,我们提供一站式的解决方案。 We offer full range of solutions for avocado, from plantation to packaging.



FULL RANGE OF SOLUTIONS FOR CUCUMBER 黄瓜产品配套方案





Seedling Tray 育苗穴盘 Seedling Substrate 育苗基质





04包装 PACKAGING














Substrate 基质 Grow Bag 生长条

Harvest Crate 采摘框







FULL RANGE OF SOLUTIONS FOR HERB

调味品配套方案



O1育苗 SEEDLING 04周转 TRANSPORTATION



Transportation Trolley 周转车



Seedling Substrate 育苗基质

Seedling Tray 育苗穴盘



Substrate 基质 Pot 花盆

> Tray 穴盘



02种植 PLANTATIO




Clamshell 吸塑盒子








We offer full range of solutions for herb, from seedling to transportation.









UNMANNED FLOWER STORE 无人花店





节约人工成本,节省消费者的购物时间,大大提高便利程度。

Unmanned Flower Store: Save lots of labor cost for seller. Save shopping time for consumer. Greatly improve the convenience for shopping as much as possible.















HO PICULTURE

Coco Peat

Peat Moss

Specialized Substrates

椰糠 泥炭 专用基质 0 O

0

U

П

D


椰糠

Coco peat 5kg Bricks

5千克椰糠









Coco Chips 5kg Bricks 5千克粗椰块



Coco peat Grow Bags 椰糠栽培袋,加水膨胀后直接种植 (根据客户需要提供各种尺寸)

					XA
Coco type 类型	Specification _{规格}	EC	PH	Compression ratio 膨胀比	Characteristic 产品特点
Coco Peat	Washed cocopeat 水洗	0.6 Y	5.5-6.5	1:5	Excellent water holding capacity. Suitable for most plants. 保水性好,适合多数植物育苗,花卉、蔬菜及瓜果种植,既可单独作为基质,也可 <mark>与其</mark> 它基质搭配使用。
仰 棟	Buffered cocopeat 深加工 (缓冲)	0.3	5.5-6.5	1:5 YAE	Na $^+$ and K $^+$ are removed from coco CEC-complex. Very safe to young roots. 对植物更安全,适合各类植物育苗和对盐分较敏感的植物,使后期水肥管理更方便。
Coco Chips 椰块	Washed coco chips 水洗	A 0.6	5.5-6.5	1:5	Basis for larger pot sizes for higher air content. Can be blended with cocopeat or peat moss to increase the AFP. 透气性好,适合种植根系需更多空气的植物,常与椰糠混合使用,增强基质的通透性,也能单独作为基质使用,可取代树皮。
Grow Bags 栽培袋	Washed/ Buffered 水洗/ 深加工 (缓冲)	0.3-1	5.5-6.5	1:5	Direct planting, no need flower pot or other containers. It is not only suitable for home balcony planting, but also commonly used in three-dimensional agriculture in greenhouse facilities Ideal for planting of Strawberry, Tomato, Cucumber, Eggplant ect. Planting and drainage holes can be customized as needed. 不需花盆等容器,直接种植。既适合家庭阳台种植,又常用于温室设施立体农业,常搭配滴灌,用于草莓、西红柿、黄瓜、茄子等作物的种植,可根据需要订制种植孔和排水孔。
	Coco Peat 椰糠 Coco Chips 椰块	Washed cocopeat 水洗 Washed cocopeat 水洗 Buffered cocopeat 深加工 (缓冲) Coco Chips Washed coco chips 水洗 Grow Bags 栽培袋 Washed/Buffered 水洗/深加工	Washed cocopeat 水洗 Buffered cocopeat 深加工 (缓冲) Coco Chips 椰块 Washed coco chips 水洗 Washed coco chips 水洗	Washed cocopeat 水洗 Buffered cocopeat 深加工 (缓冲) Coco Chips 椰块 Washed coco chips 水洗 Washed coco chips 小洗 Washed coco chips 水洗 Washed coco chips 小洗 Washed coco chips 水洗 Washed coco chips 小洗 Washed/Buffered 水洗/深加工	Washed cocopeat 水洗

OBOYA COIR PROCESS CHART

欧勃亚椰糠加工流程

纤维和块





















THE ADVANTAGES OF OBOYA COIR SUBSTRATES 欧勃亚椰糠优点

1.PRODUCT SOURCE 产品来源

Pure natural Coconut are renewable resources, it has better water holding capacity and ventilation.

纯天然椰壳原料,为可再生资源,与其它基质相比,椰糠具有更好 的保水性和透气性。

2.STABLE CHARACTERISTIC 性质稳定

After six months storage, substances that are not conducive to plant roots are completely degraded. Make the internal structure reach a stable state, but keep the volume same as before.

产品经过半年时间的储藏,使不利于植物根系的物质完全降解,同 时使椰糠的内部结构达到稳定状态,使用过程中体积不会减少。

3.CLEAN STORAGE 清洁存储

Controlled storage on concrete floors surrounded with walls to avoid contamination.

产品所有加工、存储、晾晒等工序都在清洁的混凝土地面上完成,杜 绝污染,避免泥土沙石混入椰糠产品中。


4.CLEAN WATER TREATMENT 清洁水处理

Coco products of high salinity are washed by filtered groundwater until the EC value below 0.5 mS/cm.

采用过滤后的地下水为椰糠v,水质好,无污染,盐分洗脱效果好,多 次水洗至椰糠EC值(盐度值/电导率)小于0.6mS/cm,确保对植物 足够安全。

5.HIGH COST PERFORMANCE 高性价比

Fully dried, low moisture, larger expansion ratio after adding water. 产品晾晒充分,水分含量低,加水后膨胀比更大。



不同基质的吸水程度对比 Comparisons of the water absorbing capacities of different substrates

*说明:产品采用650g或5kg压缩块,可用托盘/散装,可根据客户要求制定不同规格。 *Description: The product adopts 650g or 5kg compression block, available inpallet/ bulk, and different specifications can be made according to customer requirements

www.oboya.cc | 26

25 | www.oboya.cc









MO

泥炭

			2011			
Product ^{品名}	Application 适用范围	Structure 苔藓粗细度	PH	Fertilizer 营养启动剂	Wetting agent ^{保湿剂}	Bag size ^{规格}
Oboya Peat 1 欧勃亚1号	Sowing (flowers, seedlings vegetables, etc.) 播种、育苗(花卉、苗木、蔬菜等)	0-10mm	5.5-6.5	0.5KG/m³	Added 已添加	250L/Bag 250升/包
Oboya Peat 2 欧勃亚2号	Small potted plants, cuttings, tissue culture seedlings, hardening seedlings vegetable planting, etc. 小盆栽、扦插、组培苗、炼苗、蔬菜种植等	0-20mm	5.5-6.5	1.0KG/m³	Added 已添加	250L/Bag 250升/包
Oboya Peat 6 欧勃亚6号	Medium and large potted flowers, seedling cultivation, tree cuttings, greening of large flower beds, etc. 中大型盆栽花卉、苗木栽培、树木扦插、大花坛绿化等	10-30mm	5.5-6.5	1.0KG/m³	Added 已添加	250L/Bag 250升/包
Oboya Peat 8 欧勃亚8号	Large potted flowers, shrubs, trees, flowers with high ventilation requirements (anthurium, pineapple, etc.), etc. 大型盆栽花卉、灌木、乔木,对透气要求较高的花卉(红掌、凤梨等)等	20-40mm	5.5-6.5	1.0KG/m³	Added 已添加	250L/Bag 250升/包









1.MATERIAL 选材

OBOYA substrate is made of 100% Baltic sphagnum peat, which contains an organic content of more than 98% 欧勃亚泥炭基质选用波罗的海水藓泥炭加工制成,有机质含量高98%。

2.FERTILIZER 营养启动剂

Many scientific experiments indicate adding start fertilizer in peat moss can significantly improve the growth, proper amount of fertilizer including NPK and trace elements is added in all the OBOYA peat products. 大量试验表明营养启动剂对植物生长优势明显,欧勃亚泥炭已添加含N、P、K及微量元素的营养启动剂。

3.EC

The EC level of raw material sphagnum peat is less than 0.1mS/cm, it will rise to 0.3 mS/cm after adding 1.0 kg/m3 of fertilizer. 未添加营养启动剂的泥炭EC值低于0.1,加入1.0Kg/m³营养启剂的泥炭EC值约为0.3。

4.PH

The original pH of Baltic sphagnum peat is c.a.4.0, to meat the requirements of most plants, we adjust the pH level to 5.5-6.5. 波罗的海水藓泥的PH值约为4.0, 欧勃亚泥炭PH值已调至5.5-6.5, 满足大部分植物的种植要求。

5.WETTING AGENT 保湿剂

All products contain appropriate wetting agent, this will help substrate to absorb water easily. 所有产品均添加保湿剂,防止基质过干后不吸水。

6.PACKING 规格

Slightly compressed in 250L bags or 6000L bales. 压缩包装250L,6000L。







27 | www.oboya.cc

www.oboya.cc | 28

П

D

0

S

CO

沅

报

欧勃亚泥炭由波罗的海水藓泥炭制成,有机质含量 高达98%,由于水藓植物具有很大的细胞组织结构,因而 采用水藓植物制成的基质持水能力可达到其自身重量的 15-20倍左右,这不仅可确保植物根系水份的供应,同时, 肥料也不易流失,保证了植物肥水的持续性和稳定性。

Oboya substrate is made of 100% Baltic sphagnum peat, which contains an organic content more than 98%. Because of the large cellular structure in Sphagnum, the water-holding capacity of the substrate made of sphagnum can reach 15-20times more than its own weight. This can not only ensure the water supply to root, but also keep the fertilizer not run off, ensuring the continuity and stability of water and fertilizer supply.



欧勃亚泥炭产品在开采、筛选分级、加工混合、检测、 包装过程采用全自动化生产线,充足的产能保证稳定供 货,国际领先的采收方式保证了产品质量的均匀性和稳 定性。

欧勃亚泥炭在生产过程中持续的对pH、EC、结构等 参数进行严格的质量控制,经公司实验室和检测部门检 验后方可包装运输,不同批次的产品经实验室检测并进 行试种实验,试种涵盖蔬菜、花卉、苗木等。

Oboya substrate has strictly quality control on PH,EC level, structure ect. Before packaging and transportation, all products are being checked by our own labs and cross-checked in certified labs. Different batches of production will be firstly tested through growing vegetables, flowers, plants ect.

Oboya substrate use fully automated production lines in the process of mining, screening and grading, processing and mixing, testing, and packaging. Sufficient production capacity ensures stable supply, and the international leading harvesting method ensures the uniformity and stability of product quality.



欧勃亚水藓泥炭由纯雨水浇灌而成,EC值小于0.1mS/cm,加 1.0Kg/m³营养启剂的泥炭EC值约为0.3Kg/m³,这有利于现代园艺 生产过程中营养液的精确配制。产品添加了大量元素、微量元素和 保湿剂,为规模化生产提供保证也使家庭园艺栽培更加简便。

Oboya substrate is watered by pure rainwater, and it's EC level is less than 0.1mS/cm. With adding 1.0Kg/m3 nutrient nutrient, the EC level is around 0.3kg/m3, this helps to do precise preparation of nutrient solution for modern horticultural production process. The product has added a large number of elements, trace elements and humectants, which guarantees large scale production and makes home gardening easier.





INSTRUCTIONS AND PRECAUTIONS FOR USE 使用指导及注意事项

- 1. The product can be used for sowing seedlings, potted flowers, soilless cultivation, lawn greening, etc. Generally, peat of 0-10mm is used for seedling raising. Others can choose peat with thicker fibers according to the growth habit of cultivated plants, especially the requirements for ventilation. It can be used with perlite, sand, coconut bran, etc. as required.
- 2. As a cultivation medium, the added fertilizer is only the start-up fertilizer. During the planting process, it is necessary to fertilize regularly according to the fertilizer requirement of the plants.
- 3. Imported peat is generally packaged in compression (1:2). Before use, the peat should be fully dispersed to make it expand and recover. Care must be taken during the dispersing process so as not to damage the porous structure of the peat. If necessary, add slow-release fertilizer or Other additions can be done simultane-
- 4. Peat has a strong ability to retain water and fertilizer. When planting plants that are sensitive to fertilizer and water, attention should be paid to controlling the amount of fertilizer and water.
- best to use up the peat after opening the package, avoid long-term storage, and pay attention to sealing in time for short-term storage.
- 6. The environment of the origin of imported peat is strongly acidic, and most harmful organisms cannot survive. There is no need to disinfect before use, but during the storage process, pay attention to the sanitation and tidy storage environment.
- 7. The pH value of naturally mined Baltic peat is about 3.5-4.5, and it is adjusted to 5.5-6.5 by default during processing, which is suitable for the growth of most plants, and also provides natural acid peat.

- 1、产品可用于播种育苗、盆栽花卉、无土栽培、草坪绿化等,育 苗一般选用0-10mm的泥炭其它可根据栽培植物的生长习性 特别是对通气性的要求,选用纤维较粗的泥炭,同时根据需要 可以配合珍珠岩、沙子、椰糠等使用。
- 2、泥炭作为一种栽培介质,已加入的肥料仅为启动肥,种植过 程中需根据植物的需肥规律定期施肥。
- 3、进口泥炭一般采用压缩包装(1:2),使用前应将泥炭充分打散 使其膨胀复原,打散过程要小心,尽量不破坏泥炭的多孔结构, 若有需要,添加缓释肥或其它添加物可同步进行。
- 4、泥炭的保水保肥能力很强,种植对肥水敏感的植株要注意控 制肥水用量。
- 5. It is not easy to absorb water again after the peat is air-dried. It is 5、泥炭风干后不容易再次吸水,凡打开包装的泥炭最好一次用 完,避免长时间存放,短期存放也要注意及时封口。
 - 6、进口泥炭产地环境呈强酸性,大部分有害生物不能存活,使 用前无需消毒,但在存放过程中要注意存放环境卫生整洁。
 - 7、自然开采的波罗的海泥炭pH值约为3.5-4.5,加工过程中默 认调至5.5-6.5以适于多数植物生长,另外也提供天然酸性泥





CIALIZED

SUBSTRATES

用基,

0

ECIALIZE

S

UBSTRATES

用基质














- (1)本品具有良好的透气性和持水保肥能力,促进植物根系发达,生 长旺盛,利于产量增加。
- (1) This product has good air permeability and water and fertilizer retention capacity, promoting the development of plant roots and vigorous growth, which is conducive to the increase of yield.





(2) High content of organic matter, resistant to decomposition, which is more conducive to the integrated growth management of water and fertilizer.





(3) This product is free of harmful pathogenic bacteria, insect eggs, and weed seeds, facilitating production management and saving





所有原料经高温灭菌, 无虫卵和杂草种籽, 无毒无异味, 质地 疏松,富含有机质,养分元素全,酸碱度适宜,使用安全,稳定性 好。结合种籽及幼苗的生长特性,科学配制各类营养元素,可持 续为幼苗提供最优的生长环境。

All raw materials are sterilized at high temperatures, free from insect eggs and weed seeds, non-toxic and odorless, with a loose texture, rich in organic matter, full of nutrients, suitable acidity and alkalinity, safe to use, and good stability. Combining the growth characteristics of seeds and seedlings, scientifically formulated various nutrients to provide the optimal growth environment for seedlings in a sustainable manner.







2.移栽后无缓苗期,成活率高,且省工省时,节本增效。

中华人民共和国农业行业标准3W772118-2012

[基地专供 爾 概不零售]

3.持水保肥能力,促进植物根系发达,生长旺盛,利于产量增

专业定制

- 1. Fast germination, high germination rate, and good quality of
- 2. After transplantation, there is no slow seedling stage, with a high survival rate, and it saves labor and time, saving costs and increasing efficiency.
- 3. The ability to hold water and maintain fertilizer promotes the development of plant roots and vigorous growth, which is beneficial for increasing yield.



















Flower Pots

Auction Bucket

Display Bucket


Blueberry Planting Bucket

注塑/吸塑花盆 拍市花桶 展示周转桶 蓝莓种植桶

Seedling tray

INJECTION FLOWER POT





	JA			BOULTURE								
R	Specifications 规格 (孔/holes)	Pvc material: weight pvc材质:重量 (G)	Size length * width 穴盘尺寸 长*宽 (MM)	Upper diameter * lower diameter * depth of the hole 孔的上口径*下口径*深度 (MM)	Outer packing size of carton 箱子外包装尺寸 (CM)	Quantity per carton 装箱数						
	21	110克 (±5)	540*280	62*30*65	33*28.5*55	200						
	28	110克 (±5)	540*280	62*30*65	33*28.5*55	200						
	32	110克 (±5)	540*280	60*30*48	33*28.5*55	200						
-	50	110克 (±5)	540*280	45*23*47	33*28.5*55	200						
P	72	110克 (±5)	540*280	40*19*40	33*28.5*55	200						
) .	105	110克 (±5)	540*280	30*15*35	33*28.5*55	200						
	128	110克 (±5)	540*280	30*13*40	33*28.5*55	200						
	200	110克(±5)	540*280	22*9*40	33*28.5*55	200						

Flower pot/flat bottom 平底盆



Specification	Material	Upper Diameter	Lower Diameter	Height	Average weight	Quantity per bag	Packaging
规格	材质	上口(мм)	下口 (MM)	高度(MM)	均重(G) ±5%	装袋数量	包装方式
80	PP (A	75	55	62	6.6	1500	纤维袋/bag

35 | www.oboya.cc







					/ /				
Specification 网底规格	Material 材质	Upper Diameter 上口(MM)	Lower Diameter 下口 (MM)	Height 高度 (MM)	Average weight 均重 (G) ±5%	Quantity Per Bag 装袋数量	Packaging 包装方式		
110*100 ORT	PP	105	79	85	13.6	500	纤维袋/bag		
110*100	PP	105	82	94	19.3	500	纤维袋/bag		
C120	PP	112	LTUP 85	94	18.6	500	纤维袋/bag		
120*120	PP	119	89	108	24.2	500	纤维袋/bag		
140*130	PP	125	96	113	23.6	400	纤维袋/bag		
150	PP	136	104	126	31	400	纤维袋/bag		
160 URE	PP	140	102	127	32.7	300	纤维袋/bag		
STICO									

Flower pot/machine use



Specification 规格	Material 材质	Upper Diameter 上口(MM)	Lower Diameter 下口 (MM)	Height 高度(MM)	Average weight 均重(G)±5%	Quantity per bag 装袋数量	Packaging 包装方式
10.5	URE PP	103	75	86	14.1	1000	纤维袋/bag
120	PP	116	86	95	21.5	1000	纤维袋/bag

INJECTION

THERMAL FLOWER

POT

注塑/吸塑花盆



Specification 规格	Material 材质	Upper Diameter 上口(MM)	Lower Diameter 下口 (MM)	Height 高度 (MM)	Average weight 均重(G) ±5%	Quantity per bag 装袋数量	Packaging 包装方式
80	PP	KAE 75	51	65	7.2	2000 TURE	纤维袋/bag
100	PPICU	92	70	75	11.1 H	1000	纤维袋/bag

Flower pot/double side

吸塑花盆



Specification	Material	Upper Diameter	Lower Diameter	Height	Average weight	Quantity per carton	Packaging
规格	材质	ED(MM)	下口(MM)	高度(MM)	均重(G)±5%	装箱数量(个/件)	包装方式
OBY-120	PP H	120	93	89	11	1280	纸箱/carton
OBY-130	PP	130	105	114	14	800	纸箱/carton
OBY-150	PP	150	110	114	20	660	纸箱/carton
OBY-160	PP	160	125 HO	162	28	450	纸箱/carton
OBY-190	PP	190	140	142	30	300	纸箱/carton
OBY-200	PP	200	150	127	32	300	纸箱/carton

37 | www.oboya.cc







		TUR				TOB .
Specification 规格	Material 材质	Length top/bottom 上/下口长(MM)	Width top/bottom 下/下口宽(MM)	Height 高度 (MM)	Average weight 均重(G) ±5%	Packaging 包装方式
花桶/Main body	PP	345/400	260/330	380	1650±20g	315pcs/pallet
延伸件/Extension frame	PP	378/307	290/220	380	650±15g	315pcs/pallet



www.oboya.cc | 38





AMERICA 欧洲/美国桶

Transparent pot ^{透明桶}

TRANSPARENT POT 透明桶





ORTIO						NA		
Specification 规格	Material 材质	Upper Diameter 上口(мм)	Lower Diameter 下口 (MM)	Height 高度 (MM)	Packing quantity 装箱数量	Packaging 包装方式		
S	PP	160	115	240	40个/pcs	纸箱/carton		
M	PP	180	130	300	40个/pcs	纸箱/carton		
URE	PP	210	160 HOR	380	40个/pcs	纸箱/carton		











Specification 规格	Material 材质	Upper Diameter <u></u> 上□(мм)	Bottom Diameter 下口(MM)	Height 高度(мм)	Average weight 均重 (G) ±5%	Packaging 包装方式
			-10			
3 L	PP	185	135	175	60	托盘/pallet
5 L	PP	215	160	195	85.6	托盘/pallet
10L Light Bucket	PP	265	185	265	135	托盘/pallet
10L normal Bucket	PP	260	188	250	210	托盘/pallet
10L Plus Bucket	PP	280	220	260 CUI	210	托盘/pallet

Flower bucket/America



Specification 规格	Material 材质	Upper Diameter 上口(MM)	Bottom Diameter FD (мм)	Height 高度(MM)	Average weight 均重(G)±5%	Packaging 包装方式
3 L	PP	205	115	260	96.8	托盘/pallet
5 L	PPRE	220	130	270	RTIC 111.7	托盘/pallet
8 LAORTI	PP	250	150	342	237.7	托盘/pallet

39 | www.oboya.cc



Flower bucket/square

法式桶

FLOWER BUCKET/SQUARE & BLUEBERRY PLANTING BUCKET 法式桶/蓝莓种植桶



1	Specification 黑桶规格	Material 材质	Upper Length 上口(мм)	Upper Width 下口 (мм)	Height 高度(MM)	Packing quantity 装箱数量	Packaging 包装方式
	S	PP	290	240	350	27个/pcs	纸箱/carton
	М	HORTPP	390	300	405	18个/pcs	纸箱/carton
	L	PP	490	360	430	12个/pcs	纸箱/carton

25L blueberry planting bucket / square bucket 25升 蓝莓种植方桶

41 | www.oboya.cc



Specification	Material	Upper Length	Upper Width	Height	Average weight
规格	材质	上口(MM)	下口 (MM)	高度(MM)	均重(G)±5%
25L	PP	358	265	328	690±20







30/35L 蓝莓种植圆桶



100					
Specification 规格	Material 材质	Upper Diameter 上口(MM)	Bottom Diameter 下口(мм)	Height 高度(MM)	Average weight 均重(G)±5%
30 L	PP	420	290	400	730±20
35 L	PP 🤛	A70	330	370	990±25

25L blueberry planting bucket / round bucket 25L 蓝莓种植圆桶



Specification	Material	Upper Diameter	Bottom Diameter	Height	Average weight
规格	材质	上□(мм)	下口(MM)	高度(MM)	均重(G)±5%
25 L TURE	PP	400	TORT 287	320	660±20





Trapezoidal Packaging sleeve Y shape Packaging sleeve Flower sleeve clip

T形袋

LOWER

10.0

П

П

U

BETTURE

SPECIFICATIONS 规格

操作尺寸440*最高1670/最低1100MM

ADVANTAGE 优点

The efficiency of bagging flowers with OBOYA flowers sleeve clips is 2.5-4 times than that of common bagging method. Average packaging time is less than 1 second.

使用OBOYA夹袋器套袋的效率是普通套袋方式的2.5-4倍,平均每次套袋时间≤1秒钟。



STEP 1

Before using the flower sleeves clip,please firstly confirm the packaging sleeve has wicket on it.

在使用夹袋器之前,先确保包装袋带有悬挂。



STEP 2

Lift the "black part" upward to horizontal, put a bundle of flower sleeves (around 50pcs or 100pcs) on it, please make sure the perforation of the packaging sleeves lower than the edge of the yellow clip.

将"黑色部分"向上抬起至水平,在上面放一打花袋(约50个或100个),请确保包装袋的虚线低于黄色夹子的边缘。



STEP 3

Close the clip and double check whether the packaging sleeves were clamped well and perforation was under the edge of the yellow clip.

合上夹子,再次检查包装袋是否卡紧,虚 线是否在黄色夹子下面。



STEP 4

Adjust the height of the middle plate, it can be adjusted based on the height of flowers. When filling potted flowers, it's recommended to be 3-5cm below the bottom edge of the bag; When filling cut flowers, it's recommend to be 3-5cm below the bottom of the lower stem.

调整支架的中间板的高度,可以根据所装花卉的高度而订。装盆花时,建议低于袋子底端3-5cm。;装切花时,建义低于花茎底端3-5cm。



STEP 5

Open one piece of the bag with one hand, and put the flowers in it with the other hand. Note: potted flowers can be put down by grasping the flowerpot with the forehand, and those with higher plants can be put down by grasping the flowers with the backhand; Fresh cut flowers need to be put down backhand.

一只手拨开袋子的一片,另一只手将花放进去,注:盆花可以正手抓着花盆向下放,植株比较高的可以反手抓花向下放;鲜切花则需要反手向下放。



STEP 6

When the flowers completely fall into the bottom of the bag, gently push down, and the bag will fall from flower sleeve clip together with the flowers. Then the middle supporting plate below will hold the flowers from falling directly on the ground.

花完全落入袋子底部时,向下轻轻用力袋 子会与花一起从夹袋器上落下来,下方的 托板会托住花卉不至于直接落在地面。

















A CEAN S

Sheet Roll Pot Cover

> 片材 卷材 花盆套

39.5x39.5 cm

可定制/Customizable

片材

BOYLE

卷材/花盆套 Roll/Flower pot cover









Roll-01 可定制/Customizable

Roll-02 可定制/Customizable

Roll-03 可定制/Customizable

J

PO

III Z

卷材/花盆

Transparent

Gree

Magenta/Orange Pink/Baby Pink Kermesinus Atrovirens

Magenta/Orange Pink/Baby Pink

Kermesinus Atrovirens

Atrovirens/Green

60x60 cm

可定制/Customizable





50x70 cm

可定制/Customizable

Flower pot cover

花盆套







Metallic pp pot cover 镀铝膜花盆套

可定制/Customizable 可定制/C

Kraft paper pot cover 牛皮纸花盆套 可定制/Customizable

Kraft paper pot cover 牛皮纸花盆套

可定制/Customizable









Kraft paper pot cover 牛皮纸花盆套 可定制/Customizable



Pearl pp pot cover 珠光膜花盆套 可定制/Customizable




Pearl pp pot cover 珠光膜花盆套

可定制/Customizable

57 | www.oboya.cc

OYA

BOYA





Trapezoidal Bag Stand up pouch bag Fruit and Vegetable Clamshell

> 自立袋 果蔬吸塑盒子

AND

VEGETABLE



Trapezoidal Bag-01 T形袋-01



Trapezoidal Bag-02 T形袋-02



Trapezoidal Bag-03 T形袋-03



Fruit and vegetable clamshell-01 果蔬吸塑盒子-01



Fruit and vegetable clamshell-02 果蔬吸塑盒子-02



Trapezoidal Bag-04 T形袋-04



Trapezoidal Bag-05 T形袋-05



Trapezoidal Bag-06 T形袋-06



Fruit and vegetable clamshell-03 果蔬吸塑盒子-03



Fruit and vegetable clamshell-04 果蔬吸塑盒子-04



Stand up pouch bag-07 自立袋-07



Stand up pouch bag-08 自立袋-08



Stand up pouch bag-09 自立袋-09



Fruit and vegetable clamshell-05 果蔬吸塑盒子-05



Fruit and vegetable clamshell-06 果蔬吸塑盒子-06











LOWPACK

食品包装



Food packaging-01 食品包装-01



Food packaging-02 食品包装-02



Egg Tart Box 蛋挞盒子



Bread Box 面包盒子



Vegetable packaging-03 蔬菜包装-03



Vegetable packaging-04 蔬菜包装-04



Snack 点心盒子



Cookie Box 饼干盒子



Food packaging-05 食品包装-05



Food packaging-06 食品包装-06



Supermarket Shopping Bag 超市购物袋



Candy Packaging 糖果包装



63 | www.oboya.cc









Paper Hand Bag

手提纸袋

HORTICULION

BOYA

BOXA

Paper hand bag 手提纸袋







PAPER

HAND

手提纸袋



Paper hand bag-01 手提纸袋-01



Paper hand bag-02 手提纸袋-02



Paper hand bag-07 手提纸袋-07



Paper hand bag-08 手提纸袋-08



Paper hand bag-03 手提纸袋-03



Paper hand bag-04 手提纸袋-04



Paper hand bag-09 手提纸袋-09



Paper hand bag-10 手提纸袋-10



Paper hand bag-05 手提纸袋-05



Paper hand bag-06 手提纸<mark>袋</mark>-06



Paper hand bag-11 手提纸袋-11



Paper hand bag-12 手提纸袋-12



















Transportation Cart/Trolley Post/Extension shelf Caster Fresh Cut Flower Equipment

> 展示周转车 立柱/延伸件 隔板 脚轮 鲜切花配套设备

S

U

0

70

D

0

D

展示周转车

● 全杨五层胶合板

●三桦两杨胶合板 ● 金属网

● 喷粉(颜色根据客户要求)

●拉板网

● 镀锌板

●热镀锌

●电镀锌

● PA 脚轮

● PP 脚轮

●橡胶轮

● 充气轮

● 全杨五层胶合板

●三桦两杨胶合板

●金属网

●拉板网

● 镀锌板

● 执辘铃

●电镀锌

● PA 脚轮

● PP 脚轮

●橡胶轮

● 充气轮

For the flower show and transport, can freely adjust the height of shelves 用于鲜花展示和运输,可根据客户的要求随意调整隔板高度。

TYPE OF SHELVES 隔板类型

- 5 layers poplar plywood
- 3 layers birch and 2 layers poplar plywood Mesh wire
- Expanded metal wire
- Solid galvanized

SURFACE TREATMENT 表面处理

- Hot dip galvanized
- Electric galvanized
- Powder coating(colour as customer's request)

CASTERS 脚轮类型

- PA caster
- Rubber caster

PP caster

Air caster

SIZES 尺寸

675*565*1900 718*565*1900 810*610*1900 800*605*1199 820*615*1304

●橡胶轮

● 充气轮

● 全杨五层胶合板

●三桦两杨胶合板

● 金属网

●拉板网

● 镀锌板

●热镀锌

●电镀锌

● 喷粉 (颜色根据客户要求)



PURPOSE 用途

For the flower show and transport, can freely adjust the height of shelves 用于鲜花展示和运输,可根据客户的要求随意调整隔板高度。

TYPE OF SHELVES 隔板类型

- 5 layers poplar plywood
- 3 layers birch and 2 layers poplar plywood
- Mesh wire
- Expanded metal wire
- Solid galvanized

SURFACE TREATMENT 表面处理

- Hot dip galvanized
- Electric galvanized
- Powder coating(colour as customer's request)
- ●热镀锌 ●电镀锌

● PA 脚轮

● PP 脚轮

●橡胶轮

● 充气轮

● 金属网

●拉板网

● 镀锌板

● 喷粉 (颜色根据客户要求)

● 全杨五层胶合板

●三桦两杨胶合板

CASTERS 脚轮类型

- PA caster
- PP caster
- Rubber caster
- Air caster
- SIZES尺寸

675*565*1900 718*565*1900 810*610*1900 800*605*1199 820*615*1304







For the flower show and transport, can freely adjust the height of shelves 用于鲜花展示和运输,可根据客户的要求随意调整隔板高度。

TYPE OF SHELVES 隔板类型

- 5 lavers poplar plywood
- 3 layers birch and 2 layers poplar plywood
- Mesh wire
- Expanded metal wire
- Solid galvanized

SURFACE TREATMENT 表面处理

- Hot dip galvanized
- Electric galvanized
- Powder coating(colour as customer's request)

CASTERS 脚轮类型

- PA caster PP caster
- Rubber caster Air caster

SIZES尺寸

1350*565*1900 1350*562*1900 1178*1168*1900 1330*610*1900 1310*1020*1900 1480*600*1900 1280*530*1900

PURPOSE 用途

For the flower show and transport, can freely adjust the height of shelves 用于鲜花展示和运输,可根据客户的要求随意调整隔板高度。

TYPE OF SHELVES 隔板类型

- 5 layers poplar plywood
- 3 layers birch and 2 layers poplar plywood
- Mesh wire
- Expanded metal wire
- Solid galvanized

SURFACE TREATMENT 表面处理

- Hot dip galvanized
- Electric galvanized

- Powder coating(colour as customer's request)

CASTERS 脚轮类型

- PA caster • PP caster
- Rubber caster
- Air caster

SIZES尺寸

675*565*1900 718*565*1900 810*610*1900 800*605*1199 820*615*1304

● 喷粉 (颜色根据客户要求)

以上可根据客户要求是否带刹车 As per customers' request if need braking system or not





www.oboya.cc | 76

75 | www.oboya.cc

ZS

D

Ŏ

70

D

TIO

展示周转车

PURPOSE 用途

For the flower show and transport, can freely adjust the height of shelves 用于鲜花展示和运输,可根据客户的要求随意调整隔板高度。

TYPE OF SHELVES 隔板类型

- 5 layers poplar plywood
- 3 layers birch and 2 layers poplar plywood Mesh wire
- Expanded metal wire
- Solid galvanized

SURFACE TREATMENT 表面处理

- Hot dip galvanized
- Electric galvanized
- Powder coating(colour as customer's request)

CASTERS 脚轮类型

- PA caster
- PP caster
- Rubber caster
- Air caster

SIZES尺寸

●三桦两杨胶合板 ● 金属网

● 全杨五层胶合板

- ●拉板网
- 镀锌板

- ●热镀锌 ●电镀锌
- 喷粉 (颜色根据客户要求)

- PP 脚轮
- 充气轮

●全杨五层胶合板 ●三桦两杨胶合板

● 喷粉(颜色根据客户要求)

●金属网

●拉板网

● 镀锌板

●橡胶轮

● 充气轮

1350*565*1900 1350*562*1900 1178*1168*1900 1330*610*1900 1310*1020*1900 1480*600*1900 1280*530*1900

PURPOSE 用途

For the flower show and transport, can freely adjust the height of shelves 用于鲜花展示和运输,可根据客户的要求随意调整隔板高度。

TYPE OF SHELVES 隔板类型

- 5 layers poplar plywood
- 3 layers birch and 2 layers poplar plywood
- Mesh wire
- Expanded metal wire Solid galvanized

SURFACE TREATMENT 表面处理

- Hot dip galvanized
- Electric galvanized
- Powder coating(colour as customer's request)

●热镀锌 ●电镀锌

- CASTERS 脚轮类型
 - PA 脚轮 ● PP 脚轮
- Rubber caster
- Air caster

SIZES 尺寸

PA caster


PP caster

1500*562*1900 1600*800*2022 1651*584*2000 1090*840*2050

以上可根据客户要求是否带刹车 As per customers' request if need braking system or not







For the flower show and transport, can freely adjust the height of shelves 用于鲜花展示和运输,可根据客户的要求随意调整隔板高度。

TYPE OF SHELVES 隔板类型

- 5 layers poplar plywood
- 3 layers birch and 2 layers poplar plywood
- Mesh wire
- Expanded metal wire
- Solid galvanized

SURFACE TREATMENT 表面处理

- Hot dip galvanized
- Electric galvanized
- Powder coating(colour as customer's request)

CASTERS 脚轮类型

- PA caster
- PP caster
- Rubber caster
- Air caster

SIZES 尺寸

1420 x 562 x 2531



POST 立柱

- 115 cm, 18 holes
- 180cm, 30 holes
- 115 cm, 18 孔 ● 180 cm, 30 孔





EXTENSION 延伸件

- 39 cm, 7 holes ● 66 cm, 13 holes
- 39 cm, 7 孔 ● 66 cm, 13 孔



以上可根据客户要求是否带刹车 As per customers' request if need braking system or not







www.oboya.cc | 78

RANSPORTATIO

0

ART/POS

T/EXTENSIO

Ž

展示周转车/立柱/延伸件

● 全杨五层胶合板

●三桦两杨胶合板

● 金属网

●拉板网

● 镀锌板

●热镀锌

●申镀锌

● PA 脚轮 ● PP 脚轮

●橡胶轮

● 充气轮

● 喷粉 (颜色根据客户要求)

隔板

PVC SHELF PVC隔板

SIZE尺寸

MATERIAL 材料 PVC




EXPANDED METAL WIRE SHELF 拉板网隔板

SIZE尺寸

MATERIAL 材料 Expanded mesh 膨胀网



MATERIAL 材料 Plywood 胶合板



MESH WIRE SHELF 金属网隔板

MATERIAL 材料



SOLID GALVANIZED SHELF 镀锌板隔板

SIZE尺寸

MATERIAL 材料



PP SHELF PP隔板

SIZE尺寸





PP MEDIUM USE CASTER PP中型脚轮

SIZE材质

MATERIAL 尺寸

EACH CAPACITY每只承重



PA MEDIUM USE CASTER PA中型脚轮

SIZE材质

MATERIAL RT

EACH CAPACITY每只承重



BLUE MEDIUM CASTER 蓝色中型脚轮

橡胶(Rubber)

MATERIAL尺寸 125*38mm

EACH CAPACITY每只承重





MATERIAL 尺寸



SIZE材质 橡胶(Rubber)

MATERIAL尺寸 125*50mm

EACH CAPACITY每只承重













RI

S

UIPME

Z

-

鲜切花配套设备

WIIIIIIII

HORIZONTAL SINGLE ROWS DELEAVING MACHINE 单排除刺机

SIZE尺寸

555*285*285mm

WEIGHT 重量

36kg

POWER 功率

375w

PURPOSE 用途

According to different types of flowers. can work for 20pcs-40pcs flowers at the same time.

可同时处理20-40支切花,可根据花卉的不同种类,随时更换毛刷。



VERTICAL DELEAVING MACHINE 立式除刺机

SIZE尺寸

850*440*1050mm

WEIGHT 重量

50kg

POWER 功率

375w

PURPOSE 用途

According to different types of flowers. can work for 20pcs-40pcs flowers at the same time.

可同时处理20-40支切花,可根据花卉的不同种类,随时更换毛刷。



HORIZONTAL DOUBLE ROWS DELEAVING MACHINE 双排除刺机

SIZE尺寸

805*285*285mm

WEIGHT 重量

POWER 功率

375w

PURPOSE 用途

BRUSHES

毛刷

According to different types of flowers. can work for 20pcs-40pcs flowers at the same time.

可同时处理20-40支切花,可根据花卉的不同种类,随时更换毛刷



BINDER 扎捆机

SIZE尺寸

350*440*650 mm

WEIGHT 重量

30kg

VOLTAGE 电压

200-240V/50Hz 110V/60Hz

PURPOSE 用途

It is suitable for the rapid bundling of a variety of flowers, and provides the guarantee of assembly line operations for fresh-cut flower production enterprises.

适用于多款鲜花的迅速捆扎,为鲜切花生产企业提供流水线作业的











Hard brush suit for flowers with thorns such as roses. 软毛刷适合去除鲜切花花叶,如康乃馨、百合;硬毛刷适合去除鲜

切花花刺和花叶,如玫瑰等。











Flower food Water Storage Box Gardening Accessories

> 鲜花保鲜剂 储水盒 园艺配件

AG

FLOWER FOOD 鲜花保鲜剂

EFFECTS 效果

Contains all the nutrients to simulate the flowers to bloom naturally. Keeps flowers and foliage in optimun condition and and prolongs life. Can be used on different varieties of flowers.

包含刺激花卉自然开放的全部养分。使花和叶片保持最佳状态,延长花寿命刺激瓶插花卉的水吸收,使其保鲜保水。可用于所有花卉

DOSING 剂量

Boxes of 1,000 packet for 1 L Boxes of 2,000 packet for 0,5 L

1000包/1升盒装 2000包/0.5升盒装

PRODUCT BRAND 产品品牌

Vaselife

PACKAGING 包装

Powder Package 粉包

IMPORT ORIGIN 进口产地

Holland 荷兰

KEY BENEFITS 主要优点

Powder formulation is light in weight and therefore ideal to combine with flowers transported by airfreight. Specially formulated and packaged to be better for the flowers and the environment. Made in Holland.

粉状配方重量轻,因此是与空运花卉结合使用的理想选择。 专门的配制和包装更有利于花卉的环境

荷兰制造。



PAGTER INNOVATIONS PORTO 储水盒

Keep flowers fresher,no water outflow.


我司从国外引进的新型花盆, 小巧高端, 具有良好的储水和 防漏性能。



Grip fingers 固定盖

Medium 储水绵块

> Holder 花盆底座



USAGE MODE 使用方式



Porto horizontal Fill the Porto with the correct amount of water. 将适量的营养液和防腐剂注入花盆



Insert the flowers into the opening of the Porto. 将鲜切花插入储水盒




Insert the stem right into the

确保鲜切花插到储水海绵位置以下





Put the porto into the box to transport, no water outflow. 将花盆装入纸箱中,以便运输或快递,且不必担心水会漏出来
















85 | www.oboya.cc

HORTICULTUN





GARD

ENING

Ö

S

0

RIF

5

园艺配件

园艺配件 Gardening accessories







TOMATO HOOK 西红柿钩子



RUBBER BAND 橡皮筋



GLOVE 手套



ROSE LABEL 玫瑰插签



PINCH RING 夹环



ELASTIC STRING BAND 弹性绳



PRESERVATION TUBE 保鲜管



BAMBOO STICK 竹签



DRIP IRRIGATION SYSTEM 滴灌系统

Drip irrigation is the most efficient water and nutrient delivery system for crops. Thanks to drip irrigation, growers can grow higher yield and quality crops while conserving water, fertilizer and labor.

滴灌对于作物来说是最有效的水分和养分输送系统。 得益于 滴灌,种植者在种出更高产量和品质作物的同时,还能够节 约用水、肥料和人工。







